

Fire

Property Damage:

- ☐ 301 Prison Cell, Male
- ☐ 302 Prison Cell, Female
- ☐ 303 Minimum Security Facility
- ☐ 304 Psychiatric Facility
- ☐ 305 Vocational Training Area
- ☐ 306 Industries
- ☐ 307 Common Area
- ☐ 308 Trash Can
- ☐ 309 Office Space
- ☐ 310 Open Land, Field, Etc.
- ☐ 311 Other

Ignition Factor

- ☐ 312 Incendiary--not during civil disturbance
- ☐ 313 Incendiary--during civil disturbance
- ☐ 314 Suspicious--not during civil disturbance
- ☐ 315 Suspicious--during civil disturbance
- ☐ 316 Cutting/welding operations
- ☐ 317 Fuel spill
- ☐ 318 Combustible too close to heat of ignition
- ☐ 319 Part failure
- ☐ 320 Short circuit
- ☐ 321 Lack of Maintenance
- ☐ 322 Undetermined
- ☐ 323 Other

Method of Alarm:

- ☐ 324 Alarm System
- ☐ 325 Radio Report
- ☐ 326 Verbal Report
- ☐ 327 No Alarm Created

Suppression:

- ☐ 328 Self-extinguished
- ☐ 329 Makeshift aid
- ☐ 330 Portable Extinguisher
- ☐ 331 Automatic System
- ☐ 332 Standpipe Hose
- ☐ 333 Other

Lost Tool

Describe in Narrative:

- ☐ Tool Description
- ☐ Tool Classification
- ☐ Tool Markings

Narrative (Who, what, where, when, why, how, contributing factors, action taken, etc.):

Called to F Block for medical emergency for an unresponsive inmate. I'm was evaluated. Oxygen applied and was encouraged to stay alert. Inmate transported to A/H by EMS.

FIU

Appropriate nursing intervention.

Reporting Staff Member (PRINT)

Donna Edwards

Signature

Donna Edwards

Date Completed

8-24-12

Time Completed

1850

Approving Supervisor/CIC (PRINT)

Ryan Lantry, RNC

Signature

Ryan Lantry

Date Reviewed

8/28/12

Time Reviewed

0930

Distribution of All Reports (by Reporting Person):

- ☒ Investigations (Original)
- ☒ Unit / Bureau Copy
- ☒ Shift Commander / Supervisor / Regional Administrator
- ☒ Lieutenant / Division Director

Distributed to Others As Warranted (by Shift Commander / Supervisor / R.A.):

1. Commissioner's Office (for Database Management) 3. _____

2. _____ 4. _____